

WHAT IS CLAIMED IS:

1. A navigation device comprising:

5 a route searching means which searches a route from a present position of a vehicle to a destination;

a route guiding means which extracts intersections existing on the route searched by said route searching means and calculates a distance from the present position of the vehicle to each of the intersections; and

10 a display means which displays the route searched by said route searching means and further displays the distance to each intersection and a name of each intersection extracted by said route guiding means.

2. The navigation device according to Claim 1, wherein said route guiding means is adapted to confirm passage of the intersection by the vehicle and to give a change command with respect to the intersection to be displayed to the display means.

3. The navigation device according to Claim 1, wherein said display means is adapted to display a direction of travel at an intersection when the intersection extracted by said route guiding means is a turning point intersection.

4. The navigation device according to Claim 1, wherein said display means is adapted to display an intersection with emphasis when the intersection extracted by said route guiding means is a turning point intersection.

5. The navigation device according to Claim 1, wherein said display means is adapted to display a fact of a non-recordal of an intersection name

when the name of the intersection extracted by said route guiding means is not recorded on a map information.

6. The navigation device according to Claim 1, wherein said display means is adapted to generate a temporary name of an intersection from information related to the intersection and to display the temporary name, when a name of the intersection extracted by said route guiding means is not recorded on a map information.

7. The navigation device according to Claim 1, wherein said display means is adapted to display a landmark or a traffic signal mark together with the name of an intersection when information about the landmark or the traffic signal mark related to the intersection extracted by said route guiding means is recorded on a map information.

8. The navigation device according to Claim 1, wherein said display means is adapted to display intersections at points of congestion with emphasis when congestion information with respect to the route searched by said route searching means is received.

9. A navigation method comprising the steps of:  
searching a route from a present position of a vehicle to a destination;  
extracting intersections existing on said route;  
calculating a distance from the present position to each intersection;  
and  
displaying the route, the distance to each intersection and the name of each intersection.



information with respect to the searched route is received.

ADD  
C1

09887346.062501  
105250" 94E 48860